

2024 STARS MEASURE DESCRIPTIONS & CODES



REQUIRED EXCLUSIONS FOR ALL MEASURES

Members in hospice or using hospice services any time during the measurement year.

Members who died any time during the measurement year.

- Members receiving palliative care any time during the measurement year.
- Members 66 or older enrolled in an Institutional SNP (I-SNP) during the measurement year.
- Members living long-term in an institution any time during the measurement year as identified by the LTI flag in the Monthly Membership Detail Data File.

Members 66 and older with frailty AND advanced illness. Members must meet BOTH of the following frailty and advanced illness criteria to be excluded:

At least two indications of frailty with different dates of service during the measurement year and ANY of the following advanced illness indicators during the measurement year or the prior year:

- At least two outpatient visits on different dates of service with a diagnosis of advanced illness.
- At least one acute inpatient encounter with an advanced illness diagnosis.
- At least one acute inpatient discharge with an advanced illness diagnosis on the discharge claim.

TABLE OF CONTENTS

MANAGING CHRONIC CONDITIONS

| | |
|--|---|
| Hemoglobin A1c Control for Patients with Diabetes (HBD) | 3 |
| Blood Pressure Control for Patients with Diabetes (BPD) | 3 |
| Eye Exam for Patients with Diabetes (EED) | 4 |
| Kidney Health Evaluation for Patients with Diabetes (KED) | 5 |
| Plan All-Cause Readmissions (PCR) | 5 |
| Osteoporosis Management in Women who had a Fracture (OMW) | 6 |
| Follow-up after Emergency Department Visit for People with Multiple High-Risk Chronic Conditions (FMC) | 6 |
| Transitions of Care (TRC) | 7 |
| Controlling High Blood Pressure (CBP) | 8 |
| Statin Therapy for Patients with Cardiovascular Disease (SPC) | 9 |

DRUG SAFETY AND ACCURACY OF DRUG PRICING

| | |
|--|----|
| Med Adherence for Diabetes Medications (All Class) | 10 |
| Med Adherence for Hypertension (RAS Antagonists) | 10 |
| Med Adherence for Cholesterol (Statins) | 11 |
| Statin Use in Persons with Diabetes (SUPD) | 11 |

STAYING HEALTHY

| | |
|-------------------------------------|----|
| Colorectal Cancer Screening (COL-E) | 12 |
| Breast Cancer Screening (BCS-E) | 13 |

| Domain | Measure Name | Abbreviation | Measure Description | Coding Guidance | Measure Exclusions |
|-----------------------------|--|--------------|---|--|---|
| MANAGING CHRONIC CONDITIONS | Hemoglobin A1c Control for Patients with Diabetes | HBD | <p>The percentage of members 18–75 years of age with diabetes (types 1 and 2) whose hemoglobin A1c (HbA1c) was at the following levels during the measurement year:</p> <ul style="list-style-type: none"> • HbA1c Control (<8.0%) • HbA1c Poor Control (>9.0%) | <p>HbA1c Lab Test CPT: 83036, 83037 LOINC: 4548-4, 4549-2, 17855-8, 17856-6, 96595-4 SNOMED CT US EDITION: 43396009, 313835008</p> <p>HbA1c Level Grater Than or Equal to 7.0 and Less Than 8.0 CPT-CAT-II: 3051F</p> <p>HbA1c Level Less Than 7.0 CPT-CAT-II: 3044F SNOMED CT US EDITION: 165679005</p> <p>HbA1c Test Result or Finding CPT-CAT-II: 3044F, 3046F, 3051F, 3052F SNOMED CT US EDITION: 165679005, 451061000124104</p> <p>HbA1c Level Greater Than 9.0 CPT-CAT-II: 3046F, 3052F SNOMED CT US EDITION: 451061000124104</p> <p>HbA1c Level Greater Than or Equal To 8.0 and Less Than or Equal To 9.0 CPT-CAT-II: 3044F, 3051F, 3052F</p> | *See list of Required Exclusions for all Measures on page 1 |
| | Blood Pressure Control for Patients with Diabetes | BPD | <p>The percentage of members 18–75 years of age with diabetes (types 1 and 2) whose blood pressure (BP) was adequately controlled (<140/90 mm Hg) during the measurement year.</p> | <p>Systolic Blood Pressure LOINC: 8459-0, 8460-8, 8461-6, 8480-6, 8508-4, 8546-4, 8547-2, 75997-7, 89268-7 SNOMED CT US EDITION: 271649006</p> <p>Systolic Blood Pressure Less than 130 mm Hg CPT-CAT-II: 3074F</p> <p>Systolic Blood Pressure Between 130-139 mm Hg CPT-CAT-II: 3075F</p> <p>Systolic Greater Than or Equal To 140 mm Hg CPT-CAT-II: 3077F</p> <p>Diastolic Blood Pressure LOINC: 8453-3, 8454-1, 8455-8, 8462-4, 8496-2, 8514-2, 8515-9, 75995-1, 89267-9 SNOMED CT US EDITION: 271650006</p> <p>Diastolic Blood Pressure Less Than 80 mm Hg CPT-CAT-II: 3078F</p> <p>Diastolic Blood Pressure Between 80-89 mm Hg CPT-CAT-II: 3079F</p> <p>Diastolic Blood Pressure Greater Than or Equal To 90 mm Hg CPT-CAT-II: 3080F</p> | *See list of Required Exclusions for all Measures on page 1 |

| Domain | Measure Name | Abbreviation | Measure Description | Coding Guidance | Measure Exclusions |
|--|---|-------------------|---|---|--|
| <p style="writing-mode: vertical-rl; transform: rotate(180deg);">MANAGING CHRONIC CONDITIONS</p> | <p>Eye Exam for Patients with Diabetes</p> | <p>EED</p> | <p>The percentage of members 18–75 years of age with diabetes (types 1 and 2) who had a retinal eye exam. The following meet criteria:</p> <ul style="list-style-type: none"> • A retinal or dilated eye exam by an eye care professional (optometrist or ophthalmologist) in the measurement year. • A negative retinal or dilated eye exam (negative for retinopathy) by an eye care professional in the year prior to the measurement year. • Bilateral eye enucleation any time during the member’s history through December 31 of the measurement year. | <p>Diabetic Retinal Screening CPT: 67028, 67030, 67031, 67036, 67039, 67040, 67041, 67042, 67043, 67101, 67105, 67107, 67108, 67110, 67113, 67121, 67141, 67145, 67208, 67210, 67218, 67220, 67221, 67227, 67228, 92002, 92004, 92012, 92014, 92018, 92019, 92134, 92201, 92202, 92227, 92228, 92230, 92235, 92240, 92250, 92260, 99203, 99204, 99205, 99213, 99214, 99215, 99242, 99243, 99244, 99245</p> <p>HCPCS: S0620, S0621, S3000</p> <p>SNOMED CT US EDITION: 274795007, 274798009, 308110009, 314971001, 314972008, 410451008, 410452001, 410453006, 410455004, 425816006, 427478009, 722161008</p> <p>Diabetic Retinal Screening Negative In Prior Year CPT-CAT II: 3072F</p> <p>Eye Exam With Evidence of Retinopathy CPT-CAT II: 2022F, 2024F, 2026F</p> <p>Eye Exam Without Evidence of Retinopathy CPT-CAT II: 2023F, 2025F, 2033F</p> <p>Unilateral Eye Enucleation CPT: 65091, 65093, 65101, 65103, 65105, 65110, 65112, 65114</p> <p>SNOMED CT US EDITION: 59590004, 172132001, 205336009, 397800002, 397994004, 398031005</p> | <p>*See list of Required Exclusions for all Measures on page 1</p> |

| Domain | Measure Name | Abbreviation | Measure Description | Coding Guidance | Measure Exclusions |
|-----------------------------|--|--------------|--|---|---|
| MANAGING CHRONIC CONDITIONS | Kidney Health Evaluation for Patients with Diabetes | KED | <p>The percentage of members 18-85 years of age with diabetes (type 1 and type 2) who received a kidney health evaluation, defined by an estimated glomerular filtration rate (eGFR) and a urine albumin-creatinine ratio (uACR, during the measurement year.</p> <p>Note: At least one uACR identified by either of the following:</p> <ul style="list-style-type: none"> Both a quantitative urine albumin test and a urine creatinine test with service dates four days or less apart or A uACR (Urine Albumin Creatinine Ratio Lab Test). | <p>Estimated Glomerular Filtration Rate Lab Test CPT: 80047, 80048, 80050, 80069, 82565 LOINC: 50044-7, 50210-4, 50384-7, 62238-1, 69405-9, 70969-1, 77147-7, 94677-2, 98979-8, 98980-6 SNOMED CT USEDITION: 12341000, 18207002, 241373003, 444275009, 444336003, 446913004, 706951006, 763355007</p> <p>Quantitative Urine Albumin lab Test CPT: 82043 LOINC: 100158-5, 1754-1, 14957-5, 21059-1, 30003-8, 43605-5, 53530-2, 53531-0, 57369-1, 89999-7 SNOMED CT USEDITION: 104486009, 104819000</p> <p>Urine Albumin Creatinine Ratio Lab Test LOINC: 9318-7, 13705-9, 14958-3, 14959-1, 30000-4, 44292-1, 59159-4, 76401-9, 77253-3, 77254-1, 89998-9</p> <p>Urine Creatinine Lab Test CPT: 82570 LOINC: 2161-8, 20624-3, 35674-1, 39982-4, 57344-4, 57346-9, 58951-5 SNOMED CT USEDITION: 8879006, 36793009, 271260009, 444322008</p> | <ul style="list-style-type: none"> Members with a diagnosis of ESRD any time during the member's history on or prior to December 31st of the measurement year. Members who had dialysis any time during the member's history on or prior to December 31st of the measurement year. <p>*These exclusions plus the general exclusions on page</p> |
| | Plan All-Cause | PCR | <p>The percentage of acute inpatient stays during the measurement year that were followed by an unplanned acute readmission for any diagnosis within 30 days, for members 18 years of age and older.</p> | <p>This is an inverse measure where lower numbers mean better performance.</p> <p>All codes related to unplanned readmissions within 30 days of a discharge from an acute inpatient facility will be flagged as non-compliant.</p> | <p>Exclude hospital stays for a the following reasons:</p> <ul style="list-style-type: none"> The member died during the stay Female members with a principal diagnosis of pregnancy on the discharge claim. A principal diagnosis of a condition originating in the perinatal period on the discharge claim. |

| Domain | Measure Name | Abbreviation | Measure Description | Coding Guidance | Measure Exclusions |
|-----------------------------|---|--------------|--|--|--|
| MANAGING CHRONIC CONDITIONS | Osteoporosis Management in Women who had a Fracture | OMW | <p>The percentage of women 67–85 years of age who suffered a fracture and who had either a bone mineral density (BMD) test or prescription for a drug to treat osteoporosis in the six months after the fracture.</p> <p>Note: Fractures of finger, toe, face and skull are not included in this measure.</p> | <p>Bone Mineral Density Tests CPT: 76977, 77078, 77080, 77081, 77085, 77086</p> <p>ICD10PCS: BP48ZZ1, BP49ZZ1, BP4GZZ1, BP4HZZ1, BP4LZZ1, BP4MZZ1, BP4NZZ1, BP4PZZ1, BQ00ZZ1, BQ01ZZ1, BQ03ZZ1, BQ04ZZ1, BR00ZZ1, BR07ZZ1, BR09ZZ1, BR0GZZ1</p> <p>ICD9PCS: 88.98</p> <p>SNOMED CT US EDITION: 22059005, 312681000, 385342005, 391057001, 391058006, 391059003, 391060008, 391061007, 391062000, 391063005, 391064004, 391065003, 391066002, 391069009, 391070005, 391071009, 391072002, 391073007, 391074001, 391076004, 391078003, 391079006, 391080009, 391081008, 391082001, 440083004, 440099005, 440100002, 449781000, 707218004, 4211000179102</p> <p>Osteoporosis Medication Therapy HCPCS: J0897, J1740, J3110, J3111, J3489</p> | <ul style="list-style-type: none"> BMD 24 months prior to episode date, osteoporosis therapy in 365 days prior to episode date. <p>*These exclusions plus the general exclusions on page 1.</p> |
| | Follow-up after Emergency Department Visit for People with Multiple High-Risk Chronic Conditions | FMC | <p>The percentage of emergency department (ED) visits for members 18 years of age and older who have multiple high-risk chronic conditions who had a follow-up service within 7 days of the ED visit.</p> <p>Note: The denominator for this measure is based on ED visits, not on members. If a member has more than one ED visit, each visit is included if between January 1 and December 24 of the measurement year.</p> | <p>Outpatient and Telehealth CPT: 98966, 98967, 98968, 98969, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99241, 99242, 99243, 99244, 99245, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99429, 99441, 99442, 99443, 99455, 99456, 99457, 99458, 99483</p> <p>HCPCS: G0071, G0402, G0439, G0463, G2010, G2012, G2250, G225 1, G2252, T1015</p> <p>SNOMED CT US EDITION: 77406008, 84251009, 185317003, 185463005, 185464004, 185465003, 281036007, 314849005, 386472008, 386473003, 401267002, 439740005, 3391000175108, 444971000124105</p> <p>U8REV: 0510, 0511, 0512, 0513, 0514, 0515, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0527, 0528, 0529, 0982, 0983</p> <p>Transitional Care Management Services CPT: 99495, 99496</p> | <ul style="list-style-type: none"> Members in hospice or using hospice services any time during the measurement year. Members who die any time during the measurement year. Exclude ED visits that result in an inpatient stay. |

| Domain | Measure Name | Abbreviation | Measure Description | Coding Guidance | Measure Exclusions |
|--|-----------------------------------|-------------------|--|---|--|
| <p style="writing-mode: vertical-rl; transform: rotate(180deg);">MANAGING CHRONIC CONDITIONS</p> | <p>Transitions of Care</p> | <p>TRC</p> | <p>The percentage of discharges for members 18 years of age and older who had each of the following.</p> <p>Four rates are reported:</p> <p>1. Notification of Inpatient Admission: Documentation of receipt of notification of inpatient admission on the day of admission through 2 days after the admission (3 total days).</p> <p>2. Receipt of Discharge Information: Documentation of receipt of discharge information on the day of discharge through 2 days after the discharge (3 total days).</p> <p>3. Patient Engagement After Inpatient Discharge: Documentation of patient engagement (e.g., office visits, visits to the home, telehealth) provided within 30 days after discharge.</p> <p>4. Medication Reconciliation Post-Discharge: Documentation of medication reconciliation on the date of discharge through 30 days after discharge (31 total days).</p> <p>Note: The denominator for this measure is based on discharges, not on members. If members have more than one discharge, all discharges on or between January 1 and December 1 of the measurement year are included.</p> | <p>Medication Reconciliation Encounter CPT: 99483, 99495, 99496 CPT-CAT-II: 1111F SNOMED CT US EDITION: 430193006, 428701000124107</p> <p>Outpatient and Telehealth CPT: 98966, 98967, 98968, 98969, 98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99441, 99442, 99443, 99444, 99457, 99458, 99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99241, 99242, 99243, 99244, 99245, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99429, 99455, 99456, 99483</p> <p>HCPCS: G0071, G2010, G2012, G2250, G2251, G2252, G0402, G0438, G0439, G0463, T1015</p> <p>SNOMED CT US EDITION: 30346009, 37894004, 77406008, 84251009, 185317003, 185463005, 185464004, 185465003, 185317003, 281036007, 314849005, 386472008, 386473003, 401267002, 439740005, 3391000175108, 444971000124105</p> <p>UBREV: 0510, 0511, 0512, 0513, 0514, 0515, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0527, 0528, 0529, 0982, 0983</p> <p>Transitional Care Management Services CPT: 99495, 99496</p> | <ul style="list-style-type: none"> Members in hospice or using hospice services any time during the measurement year. Members who died any time during the measurement year. |

| Domain | Measure Name | Abbreviation | Measure Description | Coding Guidance | Measure Exclusions |
|-----------------------------|--|--------------|---|---|--|
| MANAGING CHRONIC CONDITIONS | Controlling High Blood Pressure | CBP | The percentage of members 18–85 years of age who had a diagnosis of hypertension (HTN) and whose blood pressure (BP) was adequately controlled (<140/90 mm Hg) during the measurement year. | <p>Systolic Blood Pressure LOINC: 8459-0, 8460-8, 8461-6, 8480-6, 8508-4, 8546-4, 8547-2, 75997-7, 89268-7 SNOMED CT US EDITION: 271649006</p> <p>Systolic Blood Pressure Less Than 130 mm Hg CPT-CAT-II: 3074F</p> <p>Systolic Blood Pressure between 130-139 mm Hg CPT-CAT-II: 3075F</p> <p>Systolic Blood Pressure Greater Than or Equal To 140 mm Hg CPT-CAT-II: 3077F</p> <p>Diastolic Blood Pressure LOINC: 8453-3, 8454-1, 8455-8, 8462-4, 8496-2, 8514-2, 8515-9, 75995-1, 89267-9 SNOMED CT US EDITION: 271650006</p> <p>Diastolic Blood Pressure Less Than 80 mm Hg CPT-CAT-II: 3078F</p> <p>Diastolic Blood Pressure 80-89 mm Hg CPT-CAT-II: 3079F</p> <p>Diastolic Blood Pressure Greater Than or Equal To 90 mm Hg CPT-CAT-II: 3080F</p> | <ul style="list-style-type: none"> Members with evidence of end-stage renal disease (ESRD) any time during the member’s history on or prior to December 31 of the measurement year.. Members with evidence of dialysis, nephrectomy, or kidney transplant any time during the member’s history on or prior to December 31 of the measurement year. Members with a diagnosis of pregnancy any time during the measurement year.. <p>*These exclusions plus the general exclusions on page 1.</p> |

| Domain | Measure Name | Abbreviation | Measure Description | Coding Guidance | Measure Exclusions |
|--|---|-------------------|--|--|--|
| <p style="writing-mode: vertical-rl; transform: rotate(180deg);">MANAGING CHRONIC CONDITIONS</p> | <p>Statin Therapy for Patients with Cardiovascular Disease</p> | <p>SPC</p> | <p>The percentage of males 21-75 years of age and females 40-75 years of age during the measurement year who were indentified as having clinical atherosclerotic cardiovascular disease (ASCVD defined as MI, CABG, PCI, IVD or other revascularization procedure) and met the following criteria.</p> <p>The following rates are reported:</p> <ol style="list-style-type: none"> 1. Received Statin Therapy: Members who were dispensed at least one high-intensity or moderate-intensity state medication during the measurement year. 2. Statis Adherence 80%: Members who remained on a high-intensity or moderate-intensity statin medication for at least 80% of the treatment period. | <p>IPSD - Index prescription start date. The earliest prescription dispensing date for any statin medication of any intensity during the measurement year.</p> <p>Treatment Period - Number of days beginning on the IPSD through the end of the measurement year.</p> <p>PDC - Proportion of days covered. The number of days the member is covered by at least one statin medication presrcption of appropriate intensity, divided by the number of days in the treatment period.</p> | <ul style="list-style-type: none"> • Diagnosis of pregnancy, in vitro fertilization, prescription for clomiphene, ESRD, dialysis, cirrhosis in the measurement year or year prior to the measurement year. • Myalgia, myositis, or rhabdomyolysis in the measurement year. <p>*These exclusions plus the general exclusions on page 1.</p> |

| Domain | Measure Name | Abbreviation | Measure Description | Coding Guidance | Measure Exclusions |
|--|---|------------------------|--|--|---|
| DRUG SAFETY AND ACCURACY OF DRUG PRICING | Med Adherence for Diabetes Medications | All Class | <p>The percentage of Medicare Part D beneficiaries 18 years and older who adhere to their prescribed drug therapy across classes of diabetes medications enough to cover 80% or more of the time they are supposed to be taking the medication.</p> <p>Note: Diabetes medications include a biguanide drug, a sulfonylurea drug, a thiazolidinedione drug, a DPP-4 inhibitor, a GLP-1 receptor agonist, a meglitinide drug, or an SGLT2 inhibitor.</p> <p>Plan members who take insulin are not included.</p> | <p>The PDC is the percent of days in the measurement period “covered” by prescription claims for the same medication or another in its therapeutic category.</p> <p>Beneficiaries are only included in the measure calculation if the first fill of their diabetes medication occurs at least 91 days before the end of the enrollment period.</p> | <ul style="list-style-type: none"> • Hospice enrollment • ESRD diagnosis or dialysis coverage dates • One or more prescriptions for insulin |
| | Med Adherence for Hypertension (RAS Antagonists) | RAS Antagonists | <p>The percentage of Medicare Part D beneficiaries 18 years older who adhere to their prescribed drug therapy often enough to cover 80% or more of the time they are supposed to be taking the medication for renin angiotensin system (RAS) antagonists: angiotensin converting enzyme inhibitor (ACEI), angiotensin receptor blocker (ARB), or direct renin inhibitor medications.</p> | <p>The PDC is the percent of days in the measurement period “covered” by prescription claims for the same medication or another in its therapeutic category.</p> <p>Beneficiaries are only included in the measure calculation if the first fill of their RAS antagonist medication occurs at least 91 days before the end of the enrollment period.</p> | <ul style="list-style-type: none"> • Hospice enrollment • ESRD diagnosis or dialysis coverage dates • One or more prescriptions for sacubitril/valsartan |

| Domain | Measure Name | Abbreviation | Measure Description | Coding Guidance | Measure Exclusions |
|--|--|----------------|--|---|--|
| DRUG SAFETY AND ACCURACY OF DRUG PRICING | Med Adherence for Cholesterol (Statins) | Statins | The percentage of Medicare Part D beneficiaries 18 years and older who adhere to their prescribed drug therapy often enough to cover 80% or more of the time they are supposed to be taking the medication for statin cholesterol medications. | The PDC is the percent of days in the measurement period “covered” by prescription claims for the same medication or another in the therapeutic category. Beneficiaries are only included in the measure calculation if the first fill of their statin medication occurs at least 91 days before the end of the enrollment period. | <ul style="list-style-type: none"> • Hospice enrollment • ESRD diagnosis or dialysis coverage dates |
| | Statin Use in Persons with Diabetes | SUPD | The percent of Medicare Part D beneficiaries 40-75 years old who were dispensed at least two diabetes medication fills on unique dates of service and received a statin medication fill during the measurement period. Note: This rating is based on the percent of plan members with diabetes who take the most effective cholesterol-lowering drugs. | Beneficiaries are only included in the measure calculation if the first fill of their diabetes medication occurs at least 90 days before the end of the measurement year or end of the enrollment episode. | <ul style="list-style-type: none"> • Hospice enrollment • ESRD diagnosis or dialysis coverage dates • Rhabdomyolysis and myopathy • Pregnancy • Lactation and fertility • Cirrhosis • Pre-Diabetes • Polycystic Ovary Syndrome |

| Domain | Measure Name | Abbreviation | Measure Description | Coding Guidance | Measure Exclusions |
|--|---|---------------------|--|---|--|
| <p style="writing-mode: vertical-rl; transform: rotate(180deg);">STAYING HEALTHY</p> | <p>Colorectal Cancer Screening</p> | <p>COL-E</p> | <p>The percentage of members 45-75 years of age who had appropriate screening for colorectal cancer.</p> <p>Appropriate screenings are defined by one of the following:</p> <ul style="list-style-type: none"> • FOBT during the measurement year. • Flexible sigmoidoscopy during the measurement year or the 4 years prior to the measurement year. • Colonoscopy during the measurement year or the 9 years prior to the measurement year. • CT colonography during the measurement year or the 4 years prior to the measurement year. • Stool DNA (sDNA) with FIT test during the measurement year or the 2 years prior to the measurement year. <p>Note: COL has been transitioned to ECDS reporting for measurement year 2024.</p> <p>Electronic Clinical Data Systems (ECDS) include EHR data, Health Exchange, claims, and CM systems.</p> <p>NCQA has added a dash and a capital letter “E” after the measure abbreviation name for measures reported using ECDS only,</p> | <p>Colonoscopy CPT: 44388, 44389, 44390, 44391, 44392, 44394, 44401, 44402, 44403, 44404, 44405, 44406, 44407, 44408, 45378, 45379, 45380, 45381, 45382, 45384, 45385, 45386, 45388, 45389, 45390, 45391, 45392, 45393, 45398 HCPCS: G0105, G0121 ICD9PCS: 45.22, 45.23, 45.25, 45.42, 45.43 SNOMED CT US EDITION: 1209098000, 12350003, 25732003, 34264006, 73761001, 174158000, 174185007, 235150006, 235151005, 275251008, 302052009, 367535003, 443998000, 444783004, 446521004, 446745002, 447021001, 709421007, 710293001, 711307001, 789778002, 8180007</p> <p>CT Colonography CPT: 74261, 74262, 74263 LOINC: 60515-4, 72531-7, 79069-1, 79071-7, 79101-2, 82688-3 SNOMED CT US EDITION: 418714002</p> <p>FIT DNA Lab Test CPT: 81528 LOINC: 77353-1, 77354-9</p> <p>FIT DNA Test Result or Finding SNOMED CT US EDITION: 708699002</p> <p>Flexible Sigmoidoscopy CPT: 45330, 45331, 45332, 45333, 45334, 45335, 45337, 45338, 45340, 45341, 45342, 45346, 45347, 45349, 45350 HCPCS: G0104 ICD9PCS: 45.24 SNOMED CT US EDITION: 44441009, 396226005, 425634007</p> <p>FOBT Lab Test CPT: 82270, 82274 HCPCS: G0328</p> | <p>Colorectal cancer or a total colectomy anytime in member Hx through Dec 31 measurement year.</p> <p>Note: The medical record must include at the very least, evidence of a total colectomy anytime in the member’s history and the year when procedure was completed (operative note, medical record notation or surgical history section of the chart may be used).</p> |

| Domain | Measure Name | Abbreviation | Measure Description | Coding Guidance | Measure Exclusions |
|-----------------|---|--------------|---|---|--|
| STAYING HEALTHY | Colorectal Cancer Screening (Continued) | | | LOINC: 12503-9, 12504-7, 14563-1, 14564-9, 14565-6, 2335-8, 27396-1, 27401-9, 27925-7, 27926-5, 29771-3, 56490-6, 56491-4, 57905-2, 58453-2, 80372-6 SNOMED CT US EDITION: 104435004, 441579003, 442067009, 442516004, 442554004, 442563002 FOBT Test Result or Finding SNOMED CT US EDITION: 59614000, 167667006, 389076003 | *These exclusions plus the general exclusions on page 1. |
| | Breast Cancer Screening | BCS-E | The percentage of women 50-74 years of age who had a mammogram to screen for breast cancer. Note: BCS was transitioned to ECDS reporting for measurement year 2023. Measurement period for testing is October 1 two years prior to the measurement period through the end of the measurement year. | Mammography CPT: 77061, 77062, 77063, 77065, 77066, 77067 LOINC: 24604-1, 24605-8, 24606-6, 24610-8, 26175-0, 26176-8, 26177-6, 26287-3, 26289-9, 26291-5, 26346-7, 26347-5, 26348-3, 26349-1, 26350-9, 26351-7, 36319-2, 36625-2, 36626-0, 36627-8, 36642-7, 36962-9, 37005-6, 37006-4, 37016-3, 37017-1, 37028-8, 37029-6, 37030-4, 37037-9, 37038-7, 37052-8, 37053-6, 37539-4, 37542-8, 37543-6, 37551-9, 37552-7, 37553-5, 37554-3, 37768-9, 37769-7, 37770-5, 37771-3, 37772-1, 37773-9, 37774-7, 37775-4, 38070-9, 38071-7, 38072-5, 38090-7, 38091-5, 38807-4, 38820-7, 38854-6, 38855-3, 39150-8, 39152-4, 39153-2, 39154-0, 42168-5, 42169-3, 42174-3, 42415-0, 42416-8, 46335-6, 46336-4, 46337-2, 46338-0, 46339-8, 46342-2, 46350-5, 46351-3, 46354-7, 46355-4, 46356-2, 46380-2, 48475-8, 48492-3, 69150-1, 69251-7, 69259-0, 72137-3, 72138-1, 72139-9, 72140-7, 72141-5, 72142-3, 86462-9, 86463-7, 91517-3, 91518-1, 91519-9, 91520-7, 91521-5, 91522-3 SNOMED CT US EDITION: 12389009, 24623002, 43204002, 71651007, 241055006, 241057003, 241058008, 258172002, 439324009, 450566007, 709657006, 723778004, 723779007, 723780005, 726551006, 833310007, 866234000, 866235004, 866236003, 866237007, 384151000119104, 392521000119107, 392531000119105, 566571000119105, 572701000119102 | Members who had a bilateral mastectomy or both right and left unilateral mastectomies any time during the member's history through the end of the measurement period. Any of the following meet the criteria for bilateral mastectomy: <ul style="list-style-type: none"> Bilateral mastectomy Unilateral mastectomy with bilateral modifier Unilateral mastectomy found in clinical data with a bilateral modifier History of bilateral mastectomy Any combination of codes that indicate a mastectomy on both the left and right side on the same or different dates of service. *These exclusions plus the general exclusions on page 1. |